# Basewide Energy Studies in Support of Energy Engineering Analysis Program

for Kansas Army Ammunition Plant Parsons, Kansas

Contract No.- DACA 41-81-C-0108

**Final Submittal** 

19971023 129



**Executive Summary** 

Prepared by

PRES CAVITAL INSERCIED 8

The Benham Group Oklahoma City, Oklahoma

for
Department of the Army
Kansas City District
Corps of Engineers

July 1983



# DEPARTMENT OF THE ARMY CONSTRUCTION ENGINEERING RESEARCH LABORATORIES, CORPS OF ENGINEERS P.O. BOX 9005 CHAMPAIGN, ILLINOIS 61826-9005

REPLYTO ATTENTION OF:

TR-I Library

17 Sep 1997

Based on SOW, these Energy Studies are unclassified/unlimited. Distribution A. Approved for public release.

Marie Wakefel

Librarian Engineering

# VOLUME 1

# EXECUTIVE SUMMARY

# TABLE OF CONTENTS

		<u>Page</u>	
	1.	Index1-1	
	2.	Introduction1-2 Area Map	
	3.	Existing Energy Consumption	
	4.	Energy Conservation Measures Developed	
	5.	Policy Changes - Recommendations1-13	
	6.	Projected Annual Energy Consumption Trend1-14	
	7:	Projected Energy Costs1-15	
	8.	Energy Conservation Since FY 19751-16	
	9.	Proposed Projects1-18	
	10.	Actions and Savings Matrix1-20	
		July 83	
PROJECT	EEAP - K	ANSAS ARMY AMMUNITION PLANT 31 Jan 83 FJM	
	The Berham Group	architects / engineers planners / consultants  JOB NO. SUBDIVISION DISC. TYPE EXP. C. M.F.L. SHEET REV.  OFF.   YR.   SEQ. EXT. E. R.	

# VOLUME 2

# TABLE OF CONTENTS

									Dage.		
<u>A.</u>	PROG	RAMMING DOCUMENT	S FOR ECIP	PROJECTS		•			Page		
	1.	Install Automat on Steam Distri	cic Valves ar	nd Traps em				• • • •	.2-1		
	2.	Insulate Piping Equipment				• • • •	•••	• • • •	.2-62		
	3.	Add Weatherstri	pping and Ca	aulking				• • • •	.2-134		
	4.	Heat Reclaim Fr Cooling Water					•••	• • •	.2-198		
	5.	Install Basewic	ie Energy Mor tem	nitoring	••••		•••	• • • •	.2-236		
В.		ARY OF ENERGY SA EMENT "G" PROJEC		OST DATA	FOR				٠	. (1)	
	1.	Introduction	• • • • • • • • • • • •			••••			2-329		
	2.	Reduce Air Volu	me	• • • • • • • •					2-331		
	3.	Add Loading Dod	k Seals		• • • .				2-333		
	4.	Install Boiler	Economizers.	•••••	••••	• • • •	• • •		2-335		
	5.	Install More Ef			• • • •		• • • •	• • • •	2-338		
	6.	Install Ramp Do	ors in Build	ling 315.	• • • •	••••	• • •		2-340		•
<u>c.</u>		ARY OF ENERGY SA INCREMENT "F" I		OST DATA	•						
	1.	Introduction							. 2-342		
	2.	Install Water	low Restric	tors					.2-344		
	3.	Reduce Lighting	Levels					• • • •	.2-346		
	4.	Repair Leaks i	Piping		• • • •			• • • •	.2-348		
	5.	Energy Conserva	ation Project	ts Since	1975	5	• • •	• • •	.2-350		
	6.	Proposed Project	cts Summary	Table	• • • •	• • • •		•••	.2-352		
	7.	Projects Invest	tigated But M	Not Imple	ment	ed	• • •	• • • •	2-354	•	
•	8.	Training Recomm	mendations	• • • • • • • •	• • • •	••••	• • •	•••	2-355		
D.	APPE	NDIX									
	1.	Project Calcul	ations Basew	ide EMCS.	•••		•••	•••	. 2-361		
FFΔ	P - K	ANSAS ARMY AMMUN	ΤΙΟΝ ΡΊΔΝΤ					DATE		REF. FROM	INIT.
<u> </u>		MICHO MATE APPOIN	JOB NO.	SUBDIVISION	DISC.	TYPE	EXP. C	-	Jan83	SHEET	FJM REV.
3}{		ects / engineers	OFF.   YR.   SEQ.	EXT.	G-50.	E.	LAF.		WAF A.	SIEE!	nev.
mGroup	Pianne	· ·	1.01.81.01.13	3.0.	١						R .

PROJECT

#### INDEX

<u>-</u>-

#### 1. PRELIMINARY SUBMITTAL

Volumes 1 through 12 - Dated February, 1982.

-Includes all survey data and lists energy conservation opportunities.

#### 2. INTERIM SUBMITTAL

Volumes 1 through 7 - Dated August 1982.

-Contain ECM analysis and recommendations.

Volumes 8 through 17 -

-Contain computer analysis data (BLAST)

NOTE: Volume 8 through 17 available at Huntsville District and Kansas City District Offices only.

### 3. FINAL REPORT - Dated March, 1983 (Revised July, 1983)

Volume 1 - Executive Summary

Volume 2 - Programming documents for projects recommended for implementation - DD forms 1391, PDB and Appendix.

NOTE: Preliminary and interim submittal reports already submitted.

PROJECT	EEAP -	KANSAS ARMY AMMUNITIO	N PLANT					J 31	uly 83 F Jan 83	REF. FROM	INIT. FJM
	·	architects / engineers	JOB NO.	SUBDIVISION EXT.	DISC.	TYPE E.	EXP.	C.	M.F.I.	SHEET	REV.
	The BenhamGroup	planners / consultants	1 <sub> </sub> 0 8 <sub> </sub> 1 0 <sub> </sub>	1 3 3 0							R

#### INTRODUCTION

#### KANSAS ARMY AMMUNITION PLANT

#### PARSONS, KANSAS

The Kansas Army Ammunition Plant, a Government-owned Contractor-Operated military industrial installation under jurisdiction of Headquarters, U.S. Army Armament Material Readiness Command, is assigned responsibility to manufacture explosives (Lead Azide) and related products; and load, assemble, and pack ammunition items as directed; operation and maintenance of active facilities, and maintenance and/or layaway of standby facilities in such condition to permit rehabilitation and resumption of production within time limitations prescribed; procurement, receipt, storage, and issue of necessary supplies, equipment, components, and materials; receipt, surveillance, maintenance, renovation, demilitarization, salvage, storage, inventory, and issue of Field Service Stocks as directed; Industrial Preparedness Planning and Emergency Mobilization Planning.

The present population at Kansas AAP consists of 830 Contractor personnel and 30 Government personnel. Under full mobilization the population would increase to 4,477 Contractor personnel and 115 Government personnel.

The basic survey data for this energy engineering analysis was gathered during November, 1981, and furnished as an appendix to the preliminary submittal. An executive summary is included as a part of this report. It summarizes and explains the conclusions reached on energy conservation measures that were analyzed under Phase II of the Energy Engineering Analysis Program.

Under Phase II we have analyzed both the technical and economic feasibility of the energy conservation opportunities outlined in the preliminary report. BLAST runs were utilized to determine both the baseline energy consumption for applicable buildings as well as the energy savings generated if a particular energy conservation measure is implemented.

Estimates for implementing each energy conservation measure were generated utilizing the 1982 Means Cost Data and the 1982-83 Richardson Estimating Standards.

Both the energy savings generated and the cost to implement it were utilized to run an economic analysis to determine an E/C ratio to be utilized in ranking these ECMs. This analysis was performed on a building basis for each ECM in the Phase II Interim Submittal Report.

												L
PROJECT										DATE	REF. FROM	INIT.
EEAP	EEAP - KANSAS ARMY AMMUNITION PLANT 1-4-82											FJM
<u></u>	architects / engineers	JOB NO. SUBDIVISION DISC. TYPE EXP. C. OFF.   YR.   SEQ. EXT. E.						M.F.I.	SHEET	REV.		
The BenhamGroup	planners / consultants	10	8 <sub> </sub> 1	01 3	30   1	ı						R

In Phase III the ECIP Life Cycle Cost Analysis was used and the results of this analysis were tabulated on matrix form showing the SIR Discount Savings Ratio for each ECM or ECIP project that qualified or was selected. ?

Also, a list of all buildings included in this survey along with pertinent data is furnished as part of the executive summary.

All energy conservation measures that qualify under ECIP criteria have been grouped under Increment "A" projects. The ones that did not meet the minimum project dollar requirements but are still economically feasible are listed under Increment "G".

All energy saving measures resulting from maintenance and operational changes are grouped under Increment "F". Increment "F" also includes a list of energy conservation measures implemented since 1975.


Total base energy usage for 1985 has been calculated, assuming that all energy conservation measures included in this project are implemented.


Under Phase III, programming documents have been prepared for all projects that met ECIP criteria. DD Form 1391 and Project Development Brochures (PDB) have been written for these projects.

The possibility of applying solar energy to heat water for laundry use in Building 112 and for wash down in the melt/pour loading Buildings 905, 1106 and 1109 was recommended for Increment "C" study.

The thrust of the energy conservation measures developed for this facility encompass areas of building envelope and heating/air conditioning, plumbing and electrical systems. No process systems were analyzed for possible savings. Also, only typical buildings were surveyed and analyzed and those results utilized in applying the same techniques to other buildings.

EEAP - KANSAS ARMY AMMUNITION PLANT 31 Jan83											REF.	FROM	FJM	
	architects / engineers				NO. SEQ.	SUBDIVISION EXT.	DISC.	TYPE E.	EXP.	C.	M.F.J.	SH	3	REV.
	The BenhamGroup	nsultants	1ρ	8 <sub> </sub> 1	91   3	30 1						11	11	R





#### EXISTING ENERGY CONSUMPTION

During the site survey, quantitative lists of all raw energy and electric power consumed annually at the Kansas Army Ammunition Plant were compiled for fiscal year 1975, 1979, 1980, and 1981. Diesel fuel or gasoline for mobile operations or vehicle fleets is not included. These lists were used during Phase II to help analyze the energy consumption pattern of the Ammunition Plant from FY 1975 to FY 1981.

#### Basewide Consumption FY-1975:

The total energy consumed during FY 1975 by the Kansas Army Ammunition Plant was 341,674 MMBTU.

#### Source Energy Consumption FY-1975:

	Consumption	BTU
Electricity	8,733,000 KWH	101,303 x 10 <sup>6</sup>
Fuel Oil No. 2	264,852 Gals	36,733 x 10 <sup>6</sup>
Fuel Oil No. 5/6	1,156,533 Gals	173,126 x 10 <sup>6</sup>
Propane	8,062 Gals	770 x 10 <sup>6</sup>
Coal	1,204 Tons	29,597 x 10 <sup>6</sup>
Kerosene	1,092 Gals	145 x 10 <sup>6</sup>
	•	
BASEWIDE TOTAL FY-197	<b>75</b>	341,674 × 10 <sup>6</sup>

NOTE: During FY-1975 the plant had a total active building area of 475,945 square feet for an average energy consumption of 717,885 BTU per sq. ft/year.

EEAP - KANSAS ARMY AMMUN	REF FROM	FJM				
architects / engineers	JOB NO OFF   YR   SEQ	SUBDIVISION EXT	DISC TYPE EXP. C.	ML1	1-5	REV
The Email planners / consultants BenhamGroup	1  0   1 8  0   1	3   0   1			1111	R ·

#### SOURCE ENERGY CONSUMPTION FY-1981

• .	Consumption	Dollars	BTU
Electricity	5,473,000 KWH	\$241,359	63,487 x 10 <sup>6</sup>
Fuel Oil No. 2	231,966 Gals	\$195,547	32,171 x 10 <sup>6</sup>
Fuel 0il No. 5/6	459,732 Gals	\$271,242	68,822 x 10 <sup>6</sup>
Propane	2,942 Gals	\$ 1,648	281 x 10 <sup>6</sup>
Coal	498 Tons	\$ 20,916	12,242 x 10 <sup>6</sup>
Kerosene	420 Gals	\$ 303	57 x 10 <sup>6</sup>
•			

BASEWIDE TOTAL FY-1981:


\$731,015	177,060	x	10 <sup>6</sup>	вти

NOTE:

During FY-1981 the plant had a total active building area of 410,086 square feet for an average energy consumption of 431,763 BTU per sq.ft/year. This amounts to a 40% savings for 1981 compared to 1975.

PROJECT	EEA	IP - KANSAS ARMY AMMUN	ITION PLANT	· · · · · · · · · · · · · · · · · · ·				31	Jan 83	REF FROM	FJM
		architects / engineers	JOS-NO OFF   YR   SEQ	SUBDIVISION EXT	Desc	TYPE		С	MFI	SHEET 1-6	REV
	nhamGroup	planners / consultants	1 0 8 0 1 1 3	3 0    1			1	11	111		R

60000 50000 TOTAL ENERGY CONSUMPTION (MMBTU) 40000 30000 20000 10000 0 J S A M F M 0 D J N MONTH 1975 1979 MONTHLY TOTAL ENERGY CONSUMPTION 1980 FY 1975,1979,1980,1981 1981 Shaded area indicates energy NOTE: MM = MILLION reduction from 1975 to 1981 PROLET FJM 31 Jan83 EEAP - KANSAS ARMY AMMUNITION PLANT architects / engineers planners / consultants



Č	cannot be directly rela	ted to the weather.	<del>3</del>		
PROJECT	REF. FROM	FJM			
3	architects / engineers planners / consultants	OFF. YR.   SEQ. EXT. DISC. TYPE EXP. C	WFL	SHEET 1-8	REV.
The Benham		1 0 81 0 13 3 0 1 1 1 1		1 1 1 1	R

#### ENERGY CONSERVATION MEASURES DEVELOPED

All energy conservation opportunities that were investigated can be grouped under the following categories:

#### ECIP PROJECTS

- 1. Installation of automatic control valves and traps for steam radiators and replacement of traps on high pressure steam distribution systems were investigated and recommendations for upgrading have been made at a total cost of \$133,500. This is projected to generate annual energy savings of 30,170 million BTU.
- 2. Insulation of piping and mechanical equipment was investigated and several buildings have been recommended for upgrading at a total cost of \$257,800 for an annual energy savings of 31,236 million BTU.
- 3. Weatherstripping and caulking was found to be desirable for a total of 45 buildings at an estimated cost of \$115,500. This is estimated to produce an annual energy savings of 9,611 million BTU.
- 4. Utilization of waste heat from air compressors to heat occupied buildings was investigated and is recommended at a total cost of \$163,200. The projected annual energy savings are 3,084 million BTU.
- 5. An investigation of a basewide installation of an EMCS System indicated an opportunity to save 26,125 million BTU annually at an estimated cost of \$2,068,800.

										July 83		
PROJECT	P - KANSAS ARMY AMMUNIT	ION	PLA	NT						31 Jan83	REF. FROM	FJM
333	architects / engineers	OFF.	JOB N	(O.   SEQ.	SUBDIVISION EXT.	DISC.	TYPE E.	EXP.	C.	M.F.t.	SHEET	REV.
The BenhamGrou	planners / consultants	1 0	8   1	0 13	3 0	1						R

#### INCREMENT "G" PROJECTS

These are projects that are within the funding authority of the facility engineer. The following projects are recommended for implementation:

- 1. Reduction of re-circulated air volumes for 6 buildings is recommended at a total cost of \$2,280. This is projected to save 1567.5 MM BTU and reduce KW demand by 38.1 KW.
- 2. Installation of loading dock seals for three buildings was investigated and recommended at a total cost of \$1,920. This will generate annual energy savings of 135.2 MM BTU.
- 3. Installation of economizers for existing boilers in buildings 314 and 1105W is recommended at a total cost of \$44,000. Annual energy savings are estimated at 1,798.4 MM BTU.
- 4. The installation of more efficient lighting sources for 10 buildings is recommended at a total cost of \$22,161. Annual energy savings generated are 838.5 MM BTU.
- 5. Installation of ramp doors in Building 315 is recommended at a total cost of \$6,000. Annual energy savings are estimated at 93.9 MM BTU.

PROJECT	EEAP	- KANSAS ARMY AMMUNIT	ION	PLA	NT	•				- 1	DATE	Jan83	REF	F. FROM	INIT.
	331	architects / engineers	OFF.	JOB I	10.   SEQ.	SUBDIVISION EXT.	DISC.	TYPE E.	EXP.	C.		M.F.I.	1	- 10	REV.
The Benhar	mGroup	planners / consultants	1 10	81	01 3	30   1			ı		l				R

#### INCREMENT "F" PROJECTS

The initial site survey for this increment was performed along with a follow-up survey for the other increments of this project. The heating and cooling systems of each building on the building list were checked to insure that they were operating properly. Inefficiencies of operation and needed building maintenance were noted and brought out at the exit interview on November 6, 1981. The follow-up visit to the site revealed that many of the items had been corrected.

In both of the surveys it was found that in general the existing HVAC equipment on the plant is being operated as efficiently as possible for the given situation. The equipment is turned off when buildings are inactive, lights are turned off in unoccupied areas, and the personnel as a rule are very conscious of energy conservation.

Three specific alteration projects have been included under this increment and the results of the economic analysis should be considered as typical among all the buildings with similar operating conditions.

- 1. Reduction of lighting levels for areas in three different buildings are recommended at a total cost of \$2,203. The annual energy savings are estimated at 219.9 million BTU.
- 2. Installation of water flow restrictors in 20 buildings is recommended at a total cost of \$3,060. Annual energy savings are estimated at 263.4 million BTU.
- 3. Repair of steam piping leaks in three buildings is recommended at a total cost of \$1,171. Annual energy savings are estimated at 34.9 million BTU.

															<u> </u>
PROJECT										C	ATE		REF. F	ROM	INIT.
	EEAP	<ul> <li>KANSAS ARMY AMMUNIT:</li> </ul>	ION	PLA	NT					3	1 Jan	83			FJM
	777			JOB N	10.	SUBDIVISION	DISC.	TYPE	EXP.	C.	M.F.I.		SHE	ET	REV.
	_334	architects / engineers planners / consultants	OFF.	YR.	SEQ.	EXT.		E.	DENNISOR DESIGNA				-	11	
The		planners / Consultants			1										R
Ben	hamGroup	•	1 0	81	01 113	3 0 1 1									

The following item was to be recommended for implementation but the Facility Engineer has incorporated it already:

- Lowering of the domestic hot water temperature.
- 2. Provide more efficient oil burners for the boilers in Building 314.

The following items were analyzied but did not meet criteria:

- 1. Addition of solar films to existing east and west windows to minimize air conditioning loads.
- 2. Blanket replacement of equipment motors with energy efficient motors. This item is recommended only when motors burn out and need to be replaced. See policy recommendations.
- 3. Replace inefficient HVAC systems in Buildings 52 and 208.
- 4. Installation of building envelope insulation for Buildings 52, 53, 208, 737 and 1139 (X-ray).
- 5. Addition of entry vestibules for Buildings 52, 106 and 2106.
- 6. Installation of lower ceilings in Buildings 53, 208, 715, 716 and 717.


											July 83		L
PROJECT	EEAP	- KANSAS ARMY AMMUNIT	TION PLANT			•				3	1 Jan83	REF. FROM	FJM
	333	architects / engineers	OFF.	JOB N	O. SEQ.	SUBDIVISION - EXT.	DISC.	TYPE E.	EXP.	C.	, M.F.J.	SHEET 1-12	REV.
	ne enhamGroup	planners / consultants	10	811	01 13	30			1	1	1 1 1 1	1111	R

#### POLICY CHANGES - RECOMMENDATIONS

The following items should be considered for implementation.

- 1. When electric motors need to be replaced, use high efficiency motors.
- 2. As lights and ballasts burn out, replace with energy saving lamps and ballasts.
- 3. Occupants should be encouraged to turn off lights when leaving their area.
- 4. Implementation of an energy management campaign to make base personnel aware of energy saving opportunities at home, as well as on the job, will definitely contribute to the overall energy savings.
- 5. Whenever building areas are no longer required, they should be isolated and energy systems de-activated.
- 6. When replacing any equipment, energy efficient replacements need to be specified..

MOJECT	EEAP -	- Kansas army ammui	NITION PLANT				31	Jan 83	REF FROM	FJM
		hitects / engineers	JOB NO	SUBDIVISION EXT	DISC.	TYPE EXP	c	MFL	1-13	MEV
	pla	nners / consultants	2,1,0  1,8 0, T	3 0	1 1	1 1.	1.1	111	1111	R



# PROJECTED ENERGY COSTS

ENERGY SOURCE		ENERGY CO		·	
	FY-1981	FY-1982	FY-1983	FY-1984	FY-1985
Coa1	1.71	1.88	2.07	2.27.	2.50
Fuel Oil No. 2	6.08	6.93	7.90	9.00.	10.27
Fuel Oil No. 5/6	3.94	4.49	5.12	5.84	6.65
L.P. Gas	5.86	6.68	7.62	8.68	9.90
Electricity*	3.80	4.52	5.11	5.77	6.52
Demand Charge	3.60/KW	5.94/KW	6.71/KW	7.58/KW	8.57/KW
Electricity**	12.92	15.37	17.37	19.62.:	22.17

<sup>\*\*</sup>For revenue studies and design energy budgets, based on 3413 BTU/KWH.

EEAP - KANSAS ARMY AMMUN	ITI	ON I	PLANT					31	Jan 83		F. FROM	FJM
architects / engineers planners / consultants	OFF.	JOB YR.	NO. SEQ.	SUBDIVISION EXT.	DISC.	TYPE E.	C.		M.F.I.		HEET	REV.
The BenhamGroup	1 0	8 1	0   1   3	3 0  [ ]	1				1	1	1 1 1	R

<sup>\*</sup>For calculating energy savings for ECIPs, based on 11,600 BTU/KWH.

#### PRIOR ENERGY CONSERVATION ACTION

The following energy conservation measures have already been implemented to reduce energy consumption at the KAAP. Management and maintenance personnel are to be highly commended as both have demonstrated extreme dedication to the conservation of energy at this plant.

- 1. Insulated 36,960 gallon #6 fuel oil tank at Building 1002.
- 2. Replaced leaking oil storage tanks below ground at Building 209.
- 3. Replaced steam line expansion joints with loops in 700 Area to prevent leaks.
- 4. Installed plastic film on selected windows to reduce solar heat gain in the summer months.
- 5. Removed perimeter lighting circuits and de-energized transformers in 1300, 1500, 1600, 1700, 1800, and 1900 Areas where security regulations did not require the lights.
- 6. Shut off heater in MC-800 road oil storage tank during winter months. Tank located in NW section of Area 200.
- 7. Replace failed flourescent bulbs with energy efficient type bulbs wherever possible.
- 8. Replace all incandescent floor lights in general area with mercury vapor type fixtures.
- 9. Install photocell detectors to turn off lights at 200 Area and at gas pumps during daylight hours.
- 10. Installed vestibules around south doors at Building 106.
- 11. Installed two insulated garage doors at Building 202.
- 12. Installed dampers in exhaust hoods at Buildings 202 and 102.
- 13. Weatherstrip and caulk around windows and doors in the general area.
- 14. Lowered ceilings and insulated ceilings of the upper level of Buildings 52, 58, 208, 312, 325, 726, 1014 and 1015.
- 15. Purchased and installed electric meters at 300, 700 and 100 Areas.
- 16. Budgeted miles driven by each department and monitored performance.
- 17. Installed wall thermometers in active individual offices to enable occupant to control temperature per Army and Department of Energy Regulations.

PROJECT	EEA	P - KANSAS ARMY AMMUN	ITION	PLANT					31	Jan 83	REF. PROI	FJM
	<b>733</b>	architects / engineers	JOB OFF.   YR.	NO	SUBDIVISION EXT.	DISC	TYPE	EXP.	C	MFL	3-EET	MEV.
The Ben	nhamGroup	planners / consultants	1 <sub> </sub> 8 0 <sub> </sub> 1	0 1 1 13	3 0 11		No.			111		R

- 18. Installed 150 storm windows in Building 102.
- 19. Heating ducts in Building 243 were modified and thermostat moved for better heat distribution and temperature control.
- 20. Portions of deteriorated condensate lines in the 100 and 200 Area were replaced.
- 21. A condensate return line was installed from Building 311. The condensate was previously dumped.
- 22. All major air conditioning systems of active areas were inspected and repaired to reduce downtime and improve efficiency.
- 23. Thermostatic zone control valves have been installed on a few finned tube radiators in various buildings.
- 24. An insulated garage door was installed in Building 243.

PROJECT	EEA	AP - KANSAS ARMY AMMU	NOITION	PLANT					3	™ Jan 83	REF. FROM	ыт. FJM
	7334	architects / engineers	JOB OFF.   YR.	NO.   SEQ.	SUBDIVISION EXT.	DISC.	TYPE E.	EXP.	C	MF1	) - 17	MEV.
	he lenhamGroup	planners / consultants	1  0   8	0   1   3	3 0	ı	Market.				1111	R

# PROPOSED PROJECTS

Project Tile	Annual Energy Savings (MMBTUs)	CWE (\$000)	SIR	Type
Install Automatic Valves and Traps on Steam Radiators and Replace Traps on HP Steam Distribution System	30,170	133.5	22.98	ECIP
Insulate Piping and Mechanical Equipment	31,236	257.8	11.88	ECIP
Weatherstripping and Caulking	9,611	115.5	7.76	ECIP
Heat Reclaim from Air Compressor Cooling Water	3,084	163.2	1.94	ECIP
Install A Basewide Energy Monitoring and Control System	26,125	2,068.8	1.05	ECIP
SUB TOTAL FOR ECIP PROJECTS:	100,226	2,738.8	-	ECIP
Reduced Air Volume	1567.5	2.3	52.08	Incr. "G"
$\chi$ Load Dock Seals	135.2	1.9	5.34	Incr."G"
(Boiler Economizers	1798.4	44.0	2.96	Incr."G"
Efficient Lighting Sources	838.5	22.2	2.29	Incr."G"
Ramp Doors	93.9	6.0	1.19	Incr."G"
SUB TOTAL FOR INCR."G" PROJECT	S 4433.5	76.4	-	Incr. "G"
Install Water Flow Restrictors	263.4	3.0	9.92	Incr."F"
Reduce Lighting Levels	219.9	2.2	7.39	Incr."F"
Repair Steam Piping Leaks	35.0	1.2	2.26	Incr."F"
SUB TOTAL FOR INCR. "F" PROJECT	S 518.3	6.4	-	Incr."F"
BASEWIDE TOTAL	105,177.8	2,821.6	-	All

								July 83		
PROJECT	P - KANSAS AREA AMMUNI	TION PLANT					- 1	DATE 31 Jan83	REF. FROM	FJM
333	architects / engineers	JOB NO.  OFF.   YR   SEQ.	SUBDIVISION EXT.	DISC.	TYPE E.	EXP.	C.	M.F.I.	SHEET 1-18	REV
The BenhamGroup	planners / consultants	1   08   1   0  1 3	310111						1111	R

NOTE:

Total shown under annual energy savings column (105,177.8) indicates the sum of all individual items without considering synergistic effect.

A more realistic number for the basewide total would be approximately 60% of this figure or 63,107 MMBTU annually.

PROJECT												FJM
		JOB N	10.	SUBDIVISION	DISC.	TYPE	EXP.	C.	M.F.I.	SHEET	REV.	
	architects / engineers OFF.   YR.   SEQ.   EXT.   E.								1-19			
The BenhamGroup	planners / consultants	110	8 11	בו זוח	310111			1		1 1 1		R

			ECI	P PROJEC	TS			INCREMEN	T "G"
BLDG. NO.	DESCRIPTION	INSTALL AUTOMATIC VALVES & TRAPS ON STEAM RADIATORS, AND REPLACE TRAPS ON HP STEAM DISTRIBUTION SYSTEM	INSULATE PIPING AND MECHANICAL EQUIPMENT	WEATHERSTRIPPING AND CAULKING	HEAT RECLAIM FROM AIR COMPRESSOR COOLING WATER	INSTALL EMCS	REDUCE AIR VGLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS
52	FIRE STATION	239	349	70.6	-	17.1	-	ı	-
53	RECEIVING AND INSPECTION	-	177.5	27.5	-	43.1	-	-	-
57	PHYSICAL TEST	537.7	967.8	254.8	-	-	-	-	-
58	METROLOGY AND CHEMICAL LAB	327.5	598.4	129.4	-	324.8	8.4	-	-
102	ADMINISTRATION BLDG.	-	-	-	-	-	-	-	-
105	HOSPITAL	-	_	-	-		-	-	-
106	GUARD HEADQUARTERS	_	-	-	-	-	-	-	-
107	ADP BLDG.	-	-	-	-	35.4	_	-	_
112	LAUNDRY	-	127.6	377.1	-	298.5	_	-	-
201	PROPERTY DISPOSAL	_	-	7.1	-	-	-	-	-
202	LOCOMOTIVE & AUTO REPAIR	226.4	1368.6	1260.7	-	<u>8</u> 72.2	-	-	-
203	MAINTENANCE & REPAIR	933.9	1734.1	735.9	-	1285.5	-	-	-
207	CARPENTER SHOP	65.2	223.8	74.6	-	-	-	-	-

ACTIONS AND SAVINGS MATRIX

(ENERGY VALUES IN MMBTU/YR.)



		INCREMEN	IT "G" P	ROJECTS		INCREMEN	NT "F" P	ROJECTS			1	111
INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS	EFFICIENT LIGHTING SOURCES	RAMP DOORS	WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION
17.1	-	-	-	-	-	49.5	-	-	634	725	.5	27
43.1	-	-	-	-	-	3.1	-	-	430	251	.5	<b>3</b> 04
-	-	-	-	-	-	•-	-	-	886	1760	. 4	182
24.8	8.4	-	-	-	-	2.7	35.5	-	863	1427	. 4	<b>29</b> 2
-						86.2	-	-	2292	86	.5	2249
	-	•	-	2.6	-	1.8	-		260	4	1	<b>25</b> 6
•	-	-	-	25.8		2.9	-	-	<b>36</b> 5	29	.5	351
35.4	-	-	_	-	-	5.9	157.8	-	645	199	.5	<b>54</b> 6
98.5	-	-	-	-	-	1.2	-	-	1027	804	.5	<b>62</b> 5
-	-	-	-	-	-	-	-	-	<b>28</b> 5	7		<b>27</b> 8
72.2	-	-	-	177.3	_	3.9	-	-	3208	3909	.5	1254
35.5	-	-	-	304	-	11.1	26.6	_	2966	5031	. 4	954
-						-	-	-	414	364	.5	232
EEAF					EEAP	- KANSAS	S ARMY A	MMUNITIO	TION PLANT			
Q The Banks of Const.					333	plenners /	/ enginee / consultar	rts -	10   81 1 0		an .	8

	INCREMENT "F" PROJECT								13	(2)
RAMP DOORS	WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION FY 85 (MM BTU/YEAR)	BUILDING AREA (SQ. FT.)	PROJECTED FY 85 ENERGY BUDGET (BTU/SQ.FT.)	PERCENT REDUCTION BY FY 85
-	49.5	-	_	634	725	.5	271	7784	34815	57
-	3.1	-	-	430	251	.5	304	3345	90882	29
-	-	-	•	886	1760	. 4	182	6561	27740	79
-	2.7	35.5	-	863	1427	. 4	292	6391	45689	66
-	86.2	-	-	2292	86	.5	2249	42809	52536	2
_	1.8	-	-	260	4	1	256	7870	32529	2
	2.9	-	•	<b>36</b> 5	29	.5	<b>3</b> 51	5279	66490	4
-	5.9	157.8	-	<b>64</b> 5	199	.5	546	4775	114346	15
-	1.2	<b>a</b> -	-	1027	804	.5	<b>62</b> 5	5718	109304	<b>3</b> 9
-	-	•	<b>.</b>	<b>28</b> 5	7		278	4080	68137	3
-	3.9	ı	-	<b>320</b> 8	<b>390</b> 9	.5	1254	20608	60850	61
-	11.1-	26.6	-	2966	5031	. 4	954	21047	45327	68
	-	-	-	414	364	.5	<b>2</b> 32	5922	39176	44
EEAP	- KANSAS	S ARMY A	MMUNITIC	N PLANT				31 Jan83	## /#CO	FJ"
333		/ engines / consultar		20+60L   87   40	E0	erci DIEC	TYPE EXP C	36.71	1-20	
***************************************	punners	CONSUITE		10   81 1   0	1113 3 0			1111	1111	R 1

			EC:	IP PROJEC	CTS			INCREMEN	IT "G"
BLDG. NO.	DESCRIPTION	INSTALL AUTOMATIC VALVES & TRAPS ON STEAM RADIATORS, AND REPLACE TRAPS ON HP STEAM DISTRIBUTION SYSTEM	INSULATE PIPING AND MECHANICAL EQUIPMENT	WEATHERSTRIPPING AND CAULKING	HEAT RECLAIM FROM AIR COMPRESSOR COOLING WATER	INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS
208	OFFICES & CHANGE HOUSE	178	165.7	21.5	-	238.3	-	-	-
243	WAREHOUSE & OFFICES	304.7	998.1	425.7	-	965.3	5.7	-	-
302	BOX OPENING & INSPECTION	-	-	-	-	-	-	33.8	-
304	PROCESS HOLD	-	-	-	-	39.8	-	-	-
30 <b>4</b> A	PROCESS HOLD	-	-	-	-	<b>39.</b> 8	-	-	•
304B	PROCESS HOLD	-	-	-	-	39.8	-	-	-
311	MAGAZINE	-	279.1	15	-	106.2	-	67.6	-
312	CHANGE HOUSE	-	414.5	21.2	-	535.9	-	-	-
315	ASSEMBLY BLDG.	-	4038.7	394.4	-	1310.2	96.3	33.8	-
322	GROUP OFFICE	-	192.1	2.8	-	-	-	-	-
324	ASSEMBLY BLDG.	-	12.1	38.1	-	990.9	-	-	-
325	CHANGE HOUSE	-	464.1	21.1	-	630.3	-	-	
701	PELLETING	-	966.9	213.0	-	644.8	114.1	-	-



(ENERGY VALUES IN MMBTU/YR.)

S			INCREME	NT "G" I	PROJECTS		INCREM	ENT "F"	PROJECTS			
HEAT RECLAIM FROM AIR COMPRESSOR COOLING WATER	INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS	EFFICIENT LIGHTING SOURCES	RAMP DOORS	WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	
-	238.3	-	-	-	-	-	4.0	-	-	306	608	
-	965.3	5.7	-	-	_	-	4.5	-	_	2825	2704	
-	-	-	33.8	-	-	-	-	-	-	102	34	
-	39.8	-	-	-	69.5	-	-	-	-	584	109	.:
-	39.8	-	-	-	-	-	-	-	-	584	40	1
_	39.8	-	-	-	-	_	-	-	-	584	40	1
-	106.2	-	67.6	-	-	-	-	-	-	551	468	. Ę
-	535.9	-	-	-	-	_	-	-	-	747	972	. Ę
-	1310.2	96.3	33.8	-	160.2	93.9	-	_	-	3650	6128	.4
-	-	-	-	-	-	-	-	-	-	568	195	. 4
-	990.9	-	-	-	-	-	7.9	_	-	743	1049	. 4
-	630.3	-	-	-	24.8	-	23.9	-	-	897	1164	. 4
-	644.8	114.1	-	-	3.9	-	1.3	-	-	1100	1944	. 4
RIX			<u></u>		PROJECT	EEAP	- KANSAS	ARMY AM	MUNITION	PLANT	BLEOWSC	- D

<u>RIX</u> /YR.)

**a** 



architects / engineers planners / consultants

	JOB N	•	BLEDYSON	1 5
0-	1 70	1 20	tn.	
CI I	1811	0113	31 11 11	

	INCREME	NT "F"	PROJECTS						L L	(F)
RAMP DOORS	WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION FY 85 (MM BTU/YEAR)	BUILDING AREA (SQ. FT.)	PROJECTED FY 85 ENERGY BUDGET (BTU/SQ.FT.)	Y FY 85
_	4.0	-	-	306	608	.4	63	4274	14740	79
-	4.5	-	-	2825	2704	.5	1473	40459	36407	48
-	-	-	-	102	34	.5	85	1138	74692	17
_	-	-	-	584	109	.5	529	2305	229501	9
-	-	-	-	584	40	1	544	2305	236008	7
-	-	-	-	584	40	1	544	2305	236008	7
-	-	-	-	551	468	.5	317	6151	51536	42
-	-	-	-	747	972	.5	261	8330	31333	65
93.9		-	-	3650	6128	. 4	1200	52269	22958	67
-	-	-	-	<b>56</b> 8	195	. 4	490	1500	326667	14
-	7.9	-	-	743	1049	. 4	<b>32</b> 3	18542	17420	56
-	23.9	-	-	897	1164	. 4	431	10009	43061	52
-	1.3	-	-	1100	1944	. 4	322	3720	86559	71
EEAP	- KANSAS	ARMY A	MMUNITION	PLANT	3.80%3	O+   DBC	TYPE ED C	31 Jan83		JM W
37	architects planners /	/ engineer consultan	ts	-   -   -	0 8	п			1-21	
			n	01811101	13 3 0 1			1111	<u> </u>	1

		I	FCI	P PROJEC	TS.		1	INCREMEN	IT "G
			1	1 1 1 1 1 1 1 1	T	ı —		ĭ	_
BLDG. NO.	DESCRIPTION	INSTALL AUTOMATIC VALVES & TRAPS ON STEAM RADIATORS, AND REPLACE TRAPS ON HP STEAM DISTRIBUTION SYSTEM	INSULATE PIPING AND MECHANICAL EQUIPMENT	WEATHERSTRIPPING AND CAULKING	HEAT RECLAIM FROM AIR COMPRESSOR COOLING WATER	INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS
703	HEATER HOUSE	_	-	-	-	27.9	-	-	-
705	POWDER PREPARATION AREA	-	95.5	7.9	_ :	196.4	-	-	-
708	HEATER HOUSE	-	-	-		27.9	-	-	-
715	DETONATOR LOADING	-	86.7	522	-	1124.2	668.1	-	-
716	DETONATOR LOADING	-	39.3	778.8	1542	1882.9	668.1	-	-
717	DETONATOR LOADING	-	39.3	778.8	1542	1874.1	-	<b>-</b>	_
722	DETONATOR LOADING	112.5	90.9	121.2	-	34.5	-	-	_
723	FINAL INSPECTION & PACK	-	76.9	99.7	-	28.3	a.	-	-
726	CHANGE HOUSE	524.1	464.1	20.5	-	630.3	-	-	-
733	HEATER HOUSE	-	-	-	-	28.9	-	-	-
736	HEATER HOUSE	-	-	-	-	27.9	_		-
739	HEATER HOUSE	-	-	-	-	27.9	-	-	~
741	POWDER BUGGY REST HOUSE	-	46.9	79.4	-	431.8	_	-	-



ACTIONS AND SAVINGS MATRIX

(ENERGY VALUES IN MMBTU/YR.)

	INCREMENT "G" PROJECTS INCREMENT "F" PROJECTS												
		I	NCREMENT	r "G" PR	OJECTS		INCREMEN	T "F" PI	ROJECTS				
נטשר אבואש שחובא	INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS	EFFICIENT LIGHTING SOURCES	RAMP DOORS	WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	
	27.9	-	-	_	-	-	-	-	-	62	28	.5	
	196.4	-	-	-	-	-	-	-	-	725	300	.5	
	27.9	-	_	-	-	-	-	-	_	62	28	.5	
	1124.2	668.1	-	-	-	-	4.2	_	17.5	3231	2422.7	.4	
2	1882.9	668.1	-	-	-	-	6.5	-	8.7	5710	4926.3	.4	
2	1874.1	-	<u>.</u> .	-	-	-	1.3	-	8.7	5710	4244	. 4	
	34.5	-	_	-	-	-	-	-	-	1323	359	.5	
	28.3	-	-	-	-	-	-	-	-	147	205	. 4	
-	630.3	-	-	-	24.8	-	40.7	-	-	897	1705	.4	
	28.9	-	-	-	_	-	-	-	-	64	29	.5	
	27.9	-	-	-	-	-	-	-	-	62	28	.5	
-	27.9	-	-	-	-	-	-	-	-	62	28	.5	
-	431.8	-	-	-	-	-	_	-	-	1366	558.1	.5	
:1X	<u>aix</u>						P - KANSA			ON PLANT		904 DRC	
<u> </u>						50	Ti architec	ts / engine	ers	0 1 12 1	1	est	

YR.)

architects / engineers planners / consultants

227 ו ו מוצוצות וווצוצות וו

					1	1					
ECTS		INCREME	NT "F" F	PROJECTS				_			(2)
EFFICIENT LIGHTING SOURCES	RAMP DOORS	WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION FY 85 (MM BTU/YEAR)	BUILDING AREA (SQ. FT.)	PROJECTED FY 85 ENERGY BUDGET (BTU/SQ.FT.)	PERCENT REDUCTION BY FY 85
-	-	-	-	-	62	28	.5	48	164	292683	23
-	-	-	-	-	725	300	.5	575	1858	309473	21
-	-	-	-	-	62	28	.5	48	164	292683	23
•	-	4.2	-	17.5	3231	2422.7	. 4	2262	8533	268253	29
-	-	6.5	-	8.7	5710	4926.3	. 4	3739	8533	441345	34
-		1.3	-	8.7	5710	4244	. 4	4012	8633	464728	30
-	-	-	-	-	1323	<b>35</b> 9	.5	1144	2001	571714	14
-	. <b>-</b>	•	-	-	147	205	. 4	65	1648	39442	56
4.8	-	40.7	-	-	897	1705	. 4	215	10009	21481	76
•	-	-	-	-	64	<b>2</b> 9	.5	50	168	297619	23
-	-	-	-	-	62	28	.5	48	164	292683	23
-	<b>-</b> .	•	-	-	62	28	.5	48	164	292683	23
-	-	-	-	-	1366	558.1	.5	1087	3288	330596	20
*QECT	EEAP	- KANSAS	ARMY A	MMUNITION	N PLANT				31 Jan83		<b>5</b> 7"
	331		/ engineer		200 HG. 1   47   77	BJEOWS	CH DIEC	TYPE ELP C	baF J	1-22	
1	lenten Group	p-2:47618 /	CONSULEN	-	o <u>lr 18L</u> cı	113 3 0 1			1111		1

			ECI	P PROJEC	CTS			INCREMEN	IT "G
		INSTALL AUTOMATIC VALVES & TRAPS ON STEAM RADIATORS, AND REPLACE TRAPS ON HP STEAM DISTRIBUTION SYSTEM	INSULATE PIPING AND MECHANICAL EQUIPMENT	WEATHERSTRIPPING AND CAULKING	HEAT RECLAIM FROM AIR COMPRESSOR COOLING WATER	INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	ROTI FR ECONOMIZERS
BLDG. NO.	DESCRIPTION	IN TR ST	IN	WE	H S	NI	RE	- CO	BO
744	COMPRESSOR HOUSE	29.	112.4	22.8	-	-	-	_	-
745	LINE OFFICE	63.3	192.1	2.8	-	-	-	-	-
809	PRIMER LOADER	-	84.5	154.5	_	-	-	-	-
904	RECEIVING, PAINT & CLEANING BLDG.	1387	2574.2	998.2	-	978.2	-	-	-
909	CHANGE HOUSE	579.3	464.1	20.1		630.3	-	-	-
951	X-RAY BUILDING	187.1	-	-	-	-	-	_	-
1102	PROCESS STORAGE LINE OFFICE	492.6	2244.2	1054.9	-	702.8	-	-	-
1107	CHANGE HOUSE	579.3	464.1	20.1	-	630.3	-	-	-
1109	MELT POUR (FIRST FLOOR)	106.1	1492.1	331	-	-	-	-	_
1113	COOLING BUILDING	826.5	636.6	42.1	-	552.6	_	-	-
1114	COOLING BUILDING	576.3	563.3	46.7	-	<b>3</b> 91.5	-	-	-
1122	CHANGE HOUSE	579.3	464.1	20.1	-	630.3	-	-	-
1131	GUARD HOUSE	-	-	2.7	-	-	-	-	-



ACTIONS AND SAVINGS MATRIX

(ENERGY VALUES IN MMBTU/YR.)

EMEN	T "C" o	201555		TINCDEME	NT "E" r	PROJECTS		I		1	1	
EMEN	. G"Р	ROJECTS		INCKLIE	···	KUUEC13	_			110		BUDGET
LUMU DUCK JEALJ	BOILER ECONOMIZERS	EFFICIENT LIGHTING SOURCES	RAMP DOORS	WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION FY 85 (MM BTU/YEAR)	BUILDING AREA (SQ. FT.)	PROJECTED FY 85 ENERGY BUD
	-	-	_	-	-	-	4640	164	1	4476	2007	2230
	-	-	-	-	-	-	583	258	. 4	480	1541	311.
	-	-	-	-	-	-	2789	239	. 4	2693	7366	365(
	-	-	-	-	_	-	2608	5938	.2	1420	18407	771
	-	-	-	-	-	-	897	1694.	. 4	219	10009	218
	-	-	-	•	-	•	638	187	.5	545	4501	1210
	-	-	-	-	-	-	1896	4495	.2	997	27148	<b>3</b> 67
	-	-	-	-	-	-	897	1694	. 4	219	10009	218
	-	-	-	-	-	-	6420	1929	.5	5456	16955	3217
	-	-	-	-	-	-	1115	2058	.4	<b>29</b> 2	12436	234
	-	-	-	_	-	-	1058	1578	.4	427	11809	361:
	-	-	-	-	-	-	897	1694	. 4	219	10009	2188
	-	-	-	-	-	-	18	2.7	.4	2	48	33330
		PROJECT	EEAP	- KANSAS	ARMY A	MMUNITIO	N PLANT				31 Jan83	NET PROM
		@	333		/ engineer	, ,	,00 ×0 1   77   72	8.80V30	1 1	8 E.EP C	MPI	1-23
		Tr.	ente a Group			_	0 11 13 0	13 3 0 1			1111	

INCREMEN	IT "F" P	ROJECTS		İ				13	(%		
WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION FY 85 (MM BTU/YEAR)	BUILDING AREA (SQ. FT.)	PROJECTED FY 85 ENERGY BUDGET (BTU/SQ.FT.)	PERCENT REDUCTION BY FY 85		
_	-	-	4640	164	1	4476	2007	2230194	4		
-	-	-	583	258	. 4	480	1541	311486	18		
-	•	-	2789	239	. 4	2693	7366	365600	3		
-	-	-	2608	5938	.2	1420	18407	77145	76		
-	-	-	897	1694.	. 4	219	10009	21880	76		
-	-	-	638	187	.5	<b>54</b> 5	4501	121084	15		
-	-	-	1896	4495	.2	997	27148	36725	47		
-	-	_	897	1694	. 4	219	10009	21880	76		
-	-	_	6420	1929	.5	5456	16955	321793	15		
-	-	-	1115	2058	.4	292	12436	23480	74		
-	-	_	1058	1578	. 4	427	11809	36159	60		
-	-	-	897	1694	.4	219	10009	21880	76		
-	-	-	18	2.7	. 4	2	48	333333	11		
- KANSAS	ARMY A	MMUNITIO	N PLANT		·		31 Jan83	W. 700	<u> </u>		
	/ enginee		200 HO	8.80V1	ECH DIEC	TYPE ELD C	M.F.s	1-23	<b>**</b>		
p											

}

ľ

			ECI	P PROJE	стѕ			INCREMEN	NT "G"
BLDG. NO	. DESCRIPTION	INSTALL AUTOMATIC VALVES & TRAPS ON STEAM RADIATORS, AND REPLACE TRAPS ON HP STEAM DISTRIBUTION SYSTEM	INSULATE PIPING AND MECHANICAL EQUIPMENT	WEATHERSTRIPPING AND CAULKING	HEAT RECLAIM FROM AIR COMPRESSOR COOLING WATER	INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS
1133	GUARD HOUSE	-	_	2.7	-	-	-	-	-
1135	GUARD HOUSE	-	-	2.7	-	-	-	-	_
1136	PACK & SHIP BLDG.	78.4	2045.6	165.1	-	796.7	-	-	-
1139 X-RAY	ASSEMBLY BLDS.	223.4	154.8	-	-	90.3	-	1	-
1140	CUBICLE BLDG.	1212.7	9.9	118.8	-	786.3		-	_
1147	COOLING BLDG.	247.4	446.2	42.9	-	144.8	-	_	-
2106	FILTRATION BLDG.	-	139.1	62	-	6.8	-	-	-
2203	SEWAGE DISPOSAL	-	-	1.0	-	-	-	-	-
	NG TOTALS: nt 60 Bldgs.)	10617	26105	9611	3084	21101.8	1563	135	-
102X (a)	NEW ADMINISTRATION BLDG.		-	-	-	2612.2	-	-	-
	NG TOTALS: Bldg. 102X (a)	10617	26105	9611	3084	23714	1568	<b>13</b> 5	-
	OV 11:23								

(a) 102X Will replace Bldgs 102, 105 and 106.
ACTIONS AND SAVINGS MATRIX

(ENERGY VALUES IN MMBTU/YR.)



		INCREMEN	T "G" P	ROJECTS		INCREMEN	IT "F" PI	ROJECTS				=
INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS	EFFICIENT LIGHTING SOURCES	RAMP DOORS	WATER FLOW RESTRICTORS '	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION
_	-	-	-	-	-	-	-	-	18	3	.6	1
_	<b>-</b>	-	-	-	-	-	-	-	18	3	.6	1
96.7	-	-	-	-	-	-	-	_	2109	3086	.4	87
90.3	_	-	-	-	-	.8	-	_	279	469	. 4	č
'86.3	-	-	-	_	-	-	-	-	1526	2128	.4	67
44.8	-	-	-	-	-	-	-	-	509	881	. 4	15
6.8	-	-	-	45.6	-	-	_	_	2122	254	.5	199
_	-	-	-	-	-	-	-	-	37	1.0	1.0	3
101.8	1563	135	-	838.5	93.9	263	220	<b>3</b> 5	78011	73672	-	<b>49</b> 0
512.2	<u>-</u>	-	_	-	_	-	-	-	3587	2612	.5	228
714	1568	135	-	838.5	93.9	263	220	35	78681	76165	-	48460
				PORCI	FFAF	° - KANSA	C ADMV A	MMINITTI	ON DIAMT			
						- NAMSA			JOB NG.	3.60**1	ICH DEC	TYPE EX



JON HO.	BUILDINGSCH	DEC	TYPE	&.E
O- 1 1 20	EST			
n 10   81 1   01 13	3:011			

	INCREME	NT "F" I	PROJECTS				=		T35	( ; )
	WATER FLOW RESTRICTORS .	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION FY 85 (MM BIU/YFAR)	NG A	PROJECTED FY 85 ENERGY BUDGET (BTU/SQ.FT.)	PERCENT REDUCTION BY FY 85
	-	-	-	18	3	.6	16	48	333333	11
	-	-	-	18	3	.6	16	48	333333	11
	-	-	-	2109	3086	.4	875	30200	28974	59
	.8	_	_	279	469	. 4	91	1969	46216	67
	-	-	-	1526	2128	. 4	675	21861	30877	56
	-	-	ı	509	881	. 4	157	5675	27655	69
	-	-	-	2122	254	.5	1995	4333	460420	6
	-	-	-	37	1.0	1.0	36	683	52709	3
	263	220	<b>3</b> 5	78011	73672	-	49035	537885	99163	37
	-	-	-	3587	2612	.5	2281	67000	34045	36
	263	220	<b>3</b> 5	78681	76165	-	48460	548927	88281	38
ιP	- KANSAS	ARMY AN	OITINUMN					31 Jan83	1 1 1 F	<u>J''</u>
}		/ engineer consultant		,200 HG 27   17   12 27   17   17   17	E EF		TYPE ELD C	M/I	1-24	
**			h	o Ir ial ci	113 3 0	1 1 1 1		1111	<u> </u>	1

			ECI	P PROJEC	TS.		·	INCREMEN	IT "G" P	ROJE
	1	INSTALL AUTOMATIC VALVES & TRAPS ON STEAM RADIATORS, AND REPLACE TRAPS ON HP STEAM DISTRIBUTION SYSTEM	INSULATE PIPING AND MECHANICAL EQUIPMENT	WEATHERSTRIPPING AND CAULKING	HEAT RECLAIM FROM AIR COMPRESSOR COOLING WATER	INSTALL EMCS	REDUCE AIR VOLUME	AD DOCK SEALS	BOILER ECONOMIZERS	
BLDG. NO.	DESCRIPTION	AR ANI	INS	WE/ CAI	HE	NI NI	REI	LOAD	ВО	i i
209	BOILER HOUSE	-	-	-	-	534	-	-	-	-
314	BOILER HOUSE	-	-	-	-	362	-	•	899.2	-
724	BOILER HOUSE	-	-	-	-	1027	-	-	-	
902	BOILER HOUSE	-	-	-	-	227	-	-	-	
1105W	BOILER HOUSE	-	-	-	-	261	-	-	899.2	
AREA 300	DISTRIBUTION SYSTEM	6517.8	-	-	_	-	-	-	-	
AREA 700	DISTRIBUTION SYSTEM	6517.8	_`	-	<u>-</u>	-	-	_	-	
AREA 1100	DISTRIBUTION SYSTEM	6517.8	-	-	<u></u>	·	-	-	-	
	NG LEAK REPAIR & ER REPLACEMENT	-	5130.8	-	-	-		_	-	
	MS SUBTOTAL s Page)	19553	5131	-	-	2411	-	-	1798.4	
BASEW (With	IDE TOTAL Bldg. 102X (a)	30170	31236	9611	3084	26125	1568	135	1798.4	83

ACTIONS AND SAVINGS MATRIX

(ENERGY VALUES IN MMBTU/YR.)



	INCREMENT "G" PROJ					INCREME	NT "F" I	PROJECTS				
INSTALL EMCS	REDUCE AIR VOLUME	LOAD DOCK SEALS	BOILER ECONOMIZERS	EFFICIENT LIGHTING SOURCES	RAMP DOORS	WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	
534	-	-	-	-	-	_	-	-	-	534	-	
362	-	-	899.2	-	-	-	-	-	-	1261.2	_	
1027	-	-	-	-	-	-	_	-	-	1027	-	
227	-	_	-	-	-	_	-	-	-	227	-	
261	-	-	899.2	-	-	-	-	_	-	1160	-	
-	-	_	-	-	_	-	-	-	-	6517.8	-	
-	_	-	-	-	_	-	-	-	-	6517.8	-	
-	-	-	-	-	-	-	-	-	-	6517.8	-	
-	-	-	-	-	-	-	-	-	-	5130.8	-	
2411	-	-	1798.4	-	-	-	-	-	-	28893.4	-	
								·				
26125	1568	135	1798.4	838.5	93.9	263	220	35	78681	105178	-	L
				PROJECT	EEAP	- KANSAS	ARMY A	MMUNITIO	N PLANT			



	JC00 N	•	3.00	W1500	₽ .	Dec	m
0	770	=0		tr	7		
) 10_	1817	0113	3 0	1	1	1	1

REMEN	T "F" PF	OJECTS				_		133	(%)
WATER FLOW RESTRICTORS	REDUCE LIGHTING LEVELS	REPAIR STEAM PIPING LEAKS	CURRENT ENERGY CONSUMPTION (MM BTU/YEAR)	TOTAL ENERGY SAVED (MM BTU/YEAR)	COMMON SAVINGS FACTOR	PROJECTED ENERGY CONSUMPTION FY 85 (MM BTU/YEAR)	BUILDING AREA (SQ. FT.)	PROJECTED FY 85 ENERGY BUDGET (BTU/SQ.FT.)	PERCENT REDUCTION BY FY 85
-	-	-	-	534	-	-	1610	-	_
-	1	-	-	1261.2	-	_	1440	-	-
-	-	-	-	1027	-	_	1610	-	-
-	-	-	-	227	-	-	1610	-	-
-	-	_	-	1160	-	-	1260	-	-
-	-	-	-	6517.8	-	-	-	-	-
-	-	1-	-	6517.8	-	-	-	_	-
_	-	-	-	6517.8	-	-	-	-	-
-	-	-	-	5130.8	-	-		-	
_	-	-	-	28893.4	-	_	7530	-	-
									•
263	220	35	78681	105178	-	48460	556457	87087	38
								WF FROM	<b>8</b> 5
KANSA	AS ARMY	AMMUNITI	ON PLANT				31 Jan83	1111	FJ''
architec	ts / engine	ers ③	200 HOO.	2.80	904 DBC	TYPE EXP C	MP1	1-25	
plannen	, , , ,	R I I							

1 :